

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.sfjx.nt-rt.ru | | sxj@nt-rt.ru

**Технические характеристики
на виброплиты, виброплиты с
передним и задним ходом С-90, С-90Т,
С-120Т, HZR-160, HZR-160D, HZD-160,
FPC-220, HZR220, PC90
компании **Henan Xinsda Machinery Technology****

C-90

PLATE COMPACTOR
(IRON)



ENGINE TYPE:	FOUR-STROKE AIR-COOLED
APPLICABLE POWER:	5.5-7HP
MAX SPEED:	3600RPM
PLATE SIZE:	520*500MM
PLATE THICKNESS:	10MM
CENTRIFUGAL FORCE:	15KN
WALKING SPEED:	20-23M/MIN
NET WEIGHT:	85KG
GROSS WEIGHT:	100KG
DIMENSION:	900*550*640MM
PACKAGE:	WOODEN CASE

C-90T

PLATE COMPACTOR



ENGINE TYPE:	FOUR-STROKE AIR-COOLED
APPLICABLE POWER:	5.5-7HP
MAX SPEED:	3600RPM
PLATE SIZE:	550*470MM
PLATE THICKNESS:	8MM
CENTRIFUGAL FORCE:	15KN
WALKING SPEED:	20-23M/MIN
NET WEIGHT:	68KG
GROSS WEIGHT:	82KG
DIMENSION:	900*550*640MM
PACKAGE:	WOODEN CASE

C-120T

PLATE COMPACTOR



ENGINE TYPE:	FOUR-STROKE AIR-COOLED
APPLICABLE POWER:	5.5-7HP
MAX SPEED:	3600RPM
PLATE SIZE:	550*450MM
CENTRIFUGAL FORCE:	18KN
VIBRATING FREQUENCY:	5500RPM(92HZ)
WALKING SPEED:	20-23M/MIN
NET WEIGHT:	85KG
GROSS WEIGHT:	100KG
DIMENSION:	900*570*740MM
PACKAGE:	WOODEN CASE

HZR-160

PLATE COMPACTOR



ENGINE TYPE:	FOUR-STROKE AIR-COOLED
APPLICABLE POWER:	5.5-7HP
MAX SPEED:	3600RPM
PLATE SIZE:	590*430MM
CENTRIFUGAL FORCE:	23KN
VIBRATING FREQUENCY:	5500RPM(92HZ)
WALKING SPEED:	20-23M/MIN
NET WEIGHT:	84KG
GROSS WEIGHT:	98KG
DIMENSION:	900*570*740MM
PACKAGE:	WOODEN CASE

ENGINE SPECIFICATION



WITH NORMAL ENGINE: 170F
NET POWER OUTPUT: 7HP(5.5KW)/3600R/MIN
DISPLACEMENT: 179 CC
NET WEIGHT: 13 KG



WITH NORMAL ENGINE: LIFAN 170F
NET POWER OUTPUT: 6.5HP(4.8KW)/3600R/MIN
DISPLACEMENT: 163 CC
NET WEIGHT: 15 KG



WITH NORMAL ENGINE: HONDA GX160
NET POWER OUTPUT: 6.5HP(4.8KW)/3600R/MIN
DISPLACEMENT: 163 CC
NET WEIGHT: 15 KG



WITH NORMAL ENGINE: ROBIN EY20
NET POWER OUTPUT: 5HP(3.7KW)/3600R/MIN
DISPLACEMENT: 183 CC
NET WEIGHT: 15 KG

HZR-160D

REVERSIBLE PLATE COMPACTOR



ENGINE TYPE: FOUR-STROKE AIR-COOLED
 APPLICABLE POWER: 5.5-7HP
 MAX SPEED: 3600RPM
 PLATE SIZE: 700*370MM
 CENTRIFUGAL FORCE: 30KN
 WALKING SPEED: 20-23M/MIN
 WEIGHT: 160KG
 DIMENSION: 850*480*1140MM
 PACKAGE: WOODEN CASE

POWER: 3KW/4KW
 VOLTAGE : 220V/380V
 TAMPER PLATE SIZE: 590*430MM
 CENTRIFUGAL FORCE: 20KN
 WALKING SPEED: 15M/MIN
 NET WEIGHT: 90KG
 GROSS WEIGHT: 105KG
 DIMENSIONS: 900*570*740MM
 PACKAGE: WOODEN CASE

ENGINE SPECIFICATION

WITH ELECTRIC ENGINE
 POWER: 3KW-380V

WITH ELECTRIC ENGINE
 POWER: 3KW-220V

WITH ELECTRIC ENGINE
 POWER: 4KW-380V

WITH ELECTRIC ENGINE
 POWER: 4KW-220V



WITH NORMAL ENGINE: LIFAN 170F
 NET POWER OUTPUT: 6.5HP(4.8KW)/3600R/MIN
 DISPLACEMENT: 163 CC
 NET WEIGHT: 15 KG



WITH NORMAL ENGINE: HONDA GX160
 NET POWER OUTPUT: 6.5HP(4.8KW)/3600R/MIN
 DISPLACEMENT: 163 CC
 NET WEIGHT: 15 KG



WITH NORMAL ENGINE: ROBIN EY20
 NET POWER OUTPUT: 5HP(3.7KW)/3600R/MIN
 DISPLACEMENT: 183 CC
 NET WEIGHT: 15 KG

HZD-160

PLATE COMPACTOR



FPC-220

REVERSIBLE PLATE COMPACTOR



ENGINE: FOUR-STROKE AIR-COOLED
 MAX OUTPUT: 13HP(9.5KW)
 MAX MOTOR SPEED: 3600RPM
 TAMPER PLATE SIZE: 810*450MM
 CENTRIFUGAL FORCE: 34KN
 WALKING SPEED: 15M/MIN
 GROSS WEIGHT: 235KG
 DIMENSIONS: 865*415*1150MM
 PACKAGE: WOODEN CASE

ENGINE SPECIFICATION



WITH BRIGGSANDSTRATTON XR13.5 ENGINE:
 NET POWER OUTPUT: 13.5HP(8.9KW)/3600R/MIN
 DISPLACEMENT: 420 CC
 NET WEIGHT: 32 KG



WITH VANGUARD 400 ENGINE: VANGUARD 400
 NET POWER OUTPUT: 14HP(10.5KW)/3600R/MIN
 DISPLACEMENT: 408 CC
 NET WEIGHT: 35 KG



WITH HONDA ENGINE: HONDA 390
 NET POWER OUTPUT: 12HP(8.7KW)/3600R/MIN
 DISPLACEMENT: 389CC
 NET WEIGHT: 31.5 KG

Compaction equipment Plate compactor PC90



Compaction equipment Plate compactor PC90

Plate size 510*550mm
 Centrifugal force 15kn
 Vibrating frequency 5500rpm(92HZ)
 Walking speed 20-23m/min
 Engine type Air-cooled,4-cycle
 Max output 5.5hp
 Max speed 3600rpm
 Dimension 760*520*700mm
 Net Weight 53kg
 Package Iron frame

Compaction equipment Plate compactor HZR220



Gross Weight 200kg
 Tamper plate size 450*810mm
 Centrifugal force 34kn
 Walking speed 6-16m/min
 Engine four-stroke
 air-cooled diesel engine
 Motor type Honda Gx390
 Max output 13hp/9.5kw
 Max motor speed 3600rpm

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.sfjx.nt-rt.ru | | sxj@nt-rt.ru